


4" 9W 3CCT Plus Wall Switch Slim Panel

YG Mold No.: YG008

2022-06 V3.0



TWO Ways to Adjust the Light Temperature:



Before installation,select 3000K,4000K and 5000K by using the switch in the Junction box.

When you select Light switch,you can change color of light to 3000K/4000K/5000K by flick of regular wall switch.

Features I:

FEATURES



Wattage
9 W




Equivalent
to 80 W




Brightness
750 Lm




Dimmable
5% - 100%



Features II:



BNI / BLK Color trims changeable:




Simply fix your color trim to your recessed slim light
and secure it with the clip

Advantages:



Small Junction Box with Bigger Inner Size

Four Holes Junction Box for Wire Connections from different directions.



Our Junction Box can be well used to the small space with wooden in the middle,without any damage to the ceiling.

ANTI-GLARE DESIGN

Anti-Glare Circie For Recessed Pannel Light



High Efficiency ,9W=80W
Special Design ,Anti-glare
Harmless to Eyes
Not Feeling Dizzy

Common LED Lighting

Anti-Glare CircieLED Lighting



IC Rating



Dimmable



Energy Star



Intertek ETL





SHENZHEN YOUTH GREEN LIGHTING TECHNOLOGY CO.,LTD.

ADD: YOUTHGREEN COMMERCIAL PARK,SHIYAN TOWN BAOAN DISTRICT,SHENZHEN CITY,GUANGDONG PROVINCE,CHINA.

Tel: 86-18718379521; Email: chole@youthgreenled.com; Web: www.youthgreenled.com

Features

1. 4inch9W
2. With Junction box, compatible for North America's installation regulation requirement.
3. ETL Energy Star approved, 5 years warranty.
4. Triac dimmable.

Notice:

1. Cutting off the electricity before installation.
2. Installation can only be done by qualified electrician.
3. Input voltage is AC120V 50/60Hz. Please kindly confirm the voltage before installation.
4. If the down lights can't work normally, please contact our customer service.
5. It will be out of warranty if damage is caused by personal mistake.

Specification for Order Form

YG Part #: LP4RD9W3CCT-WH

Item No.	Voltage	Watt	Lighting Color	CCT	Dimmable	Certificates
YG008B9-R-2L-WS	AC120V	9W	3CCT+Wall Switch	3CCT	YES	ETL Energy Star

Application


- 1- home,office, factory, warehouse, parking lot;
- 2- market, school, library, hospital, museum;
- 3- home lighting;



Certificates



Drawing



Type	Value
Outer Diameter	4.92 INCH
Cut Hole	4-1/8 INCH
Height (Panel)	0.47INCH
Height (Junction Box)	1.35INCH
Length (Junction Box)	3.94INCH
Width (Junction Box)	2.75INCH



SHENZHEN YOUTH GREEN LIGHTING TECHNOLOGY CO.,LTD.

ADD: YOUTHGREEN COMMERCIAL PARK,SHIYAN TOWN BAOAN DISTRICT,SHENZHEN CITY,GUANGDONG PROVINCE,CHINA.

Tel: 86-18718379521; Email: chole@youthgreenled.com; Web: www.youthgreenled.com

Parameters

Electrical Characteristics	
Input Voltage	120V AC 50~60Hz
Rated Power	9W
Replacement	9W=80W Halogen
Installation of LED Driver	External
Type of LED Driver	Constant current output
Power Factor	0.95~0.98
Operating Temperature	-10℃-40℃
Optical Characteristics	
LED Type	SMD2835
Brand of LED Chip	Taiwan Epistar
Lumen	750lm
Life Span Based on 3hrs/day	45years
CRI	>80
Beam Angle	180 degree
CCT	3CCT + Wall Switch (3K/4K/5K/wall switch all in one)
Other	
Energy Level	A
Warranty	5 years
Working Hours	50,000hrs
IP range	IP44
Material	Aluminum housing with PMMA lampshade



SHENZHEN YOUTH GREEN LIGHTING TECHNOLOGY CO.,LTD.

ADD: YOUTHGREEN COMMERCIAL PARK, SHIYAN TOWN BAOAN DISTRICT, SHENZHEN CITY, GUANGDONG PROVINCE, CHINA.

Tel: 86-18718379521; Email: chole@youthgreenled.com; Web: www.youthgreenled.com

YG Dimmer List

Lutron Brand: Leviton Brand:

- CTCL-1533PHD-WH-C6681-732
- DV-600PR-WH-CIPSD6-722
- MA-LFQHW-WH-C
- MACL-153MH-WH-C
- TT-300H-WH-CSA
- MACL-153MRHW-WHC
- CT-600P
- SCL-153P
- CTCL-153P
- DVCL-153P
- MACL-153M
- S-600P

Installation



**EASY
INSTALLATION**

 No Can Needed  J-Box Included  IC Rated



Fits **Soffit to Double**
Drywall Ceilings


Fits as small as
2 Inch Ceiling Spaces


Slim Design Fits
Around **Joists**

Testing:

Dimming Testing and 72hours longtime testing before delivery





SHENZHEN YOUTH GREEN LIGHTING TECHNOLOGY CO.,LTD.

ADD: YOUTHGREEN COMMERCIAL PARK,SHIYAN TOWN BAOAN DISTRICT,SHENZHEN CITY,GUANGDONG PROVINCE,CHINA.

Tel: 86-18718379521; Email: chole@youthgreenled.com; Web: www.youthgreenled.com

Packaging



Model No.	QTY/CTN	G.W	CBM	Note
LP4RD9W3CCT-WH	40PCS	16.5KGs	0.076	Customer Color package can be offered